

**LSC**

**RECKON**



**LSG PROTECT<sup>®</sup>**

**LIGHTNING STRIKE COUNTERS**

**TAKE  
THE  
EXTRA  
STEP  
TO  
SAFETY**





# LSG PROTECT®

## LIGHTNING STRIKE COUNTER

### LSC RECKON

LSG Reckon is a highly sensitive six digit detection device and tool to measure and record the number of lightning strikes in certain areas with thunderstorm. Usually used together with other types of lightning protection devices.

#### Features:

- high sensitivity, and accurate count
- Wide dynamic range, strong anti-jamming ability.
- Small size and easy installation
- Well-structured, stable and reliable performance.
- Convenient to use and install, maintenance free.
- Sophisticated technology and long life.



### LSC RECKON 6D

SPECIFICATION	LSG RECKON 6D
Part Number	11209
Type	MECHANICAL
Strike Count	1-999999
IP	IP65
Operating Current (8/20 $\mu$ s) ( $I_{tc}$ )	1 KA
Max. discharge current (10/350 $\mu$ s) ( $I_{mcw}$ )	100 KA
Dimension (L X B X H)	125 X 85 X 35 (mm)
Operating Temperature	-40 C to 70 C
Standard	EN 62561-6





## LIGHTNING STRIKE COUNTER

### LSC RECKON 7D

SPECIFICATION	LSG RECKON 7D
Part Number	11210
Type	MECHANICAL
Strike Count	1-9999999
Operating Current (8/20 $\mu$ s) ( $I_{tc}$ )	1 KA
Max. discharge current (10/350 $\mu$ s) ( $I_{mcw}$ )	100 KA
Dimension (L X B X H)	150 X 100 X 35 (mm)
Operating Temperature	-20 C to 50 C
Standard	EN 62561-6





## INSTALLATION DIAGRAM

### Building Model



### Tower Model





**LSG PROTECT**

No.1 avenue de Luxembourg, Europa tower, 94320 Thiais, France  
[www.lsgprotect.com](http://www.lsgprotect.com), [cs@lsgprotect.com](mailto:cs@lsgprotect.com)  
Contact No 0033-7-61-52-75-00